NOTIFICATION.

The Mysore Government Promissory Note Nos. 010596 and 010597 of the 6¼ per cent Loan of 1940 for Rs. 100 each originally standing in the name of Rangasetty, son of Ramasetty, Land-holder, Kanakanahally, Heggaddevankote Taluk, Mysore District, having been destroyed, notice is hereby given that payment of the above notes and the interest thereupon has been stopped by the Comptroller to the Government of His Highness the Maharaja of Mysore, and that application is about to be made for the issue of duplicates in favour of the proprietor. The public are cautioned against purchasing or otherwise dealing with the abovementioned securities.

ರಂಗಶೆಟ್ಟಿ,

Kanakanahalli, Heggaddevankote Taluk.

SRI SRINIVASASWAMY BANK, LTD., CHAMARAJNAGAR.

The above company in its General Meeting has resolved by a special resolution confirmed on 28th May 1938 to wind up the company voluntarily.

(Sd.) B. S. VENKATANAGAPPA CHETTY,
(Sd.) BASAPPA *alias* THAMMIAH,
Directors.

"I intend to move the Honourable the High Court of Mysore to enrol me as an Advocate thereof."

G. K. RAGHAVENDRA RAO.

GOVERNMENT OF MYSORE, STORES PURCHASE COMMITTEE, BANGALORE.

No. S. P. C. 27115-44, *dated* 11*th June* 1938.

To

The Firms dealing Pumping Sets.

Enquiry No. 2878.

ELECTRIC PUMPING SET FOR MELKOTE TOWN WATER SUPPLY.

GENTLEMEN,

Please be good enough to intimate your best prices for delivery f.o.r. French-Rocks and the earliest time of delivery for one Electric pumping set of the following specification :—

PUMP.—One centrifugal pump capable of delivering 50 gallons of water a minute against a head of 525′ from all causes.

The pump should be made of hard cast iron casing and fitted with phosphor-bronze impeller and neck rings and bushes mounted on stainless steel shaft working in ball bearing at the ends.

The pump should be fitted with pressure and vacuum gauges, priming and drain cock, etc.

The pump should be of the horizontal split casing type to enable easy dismantling for inspection and overhauling.

The pump is to be supplied with a foot-valve and strainer suited to the suction diameter of the pump and the delivery side of it to be fitted with a non-return valve and a sluice valve suited to its delivery size.

MOTOR.—The pump is to be driven by a suitable electric motor running on 220 volts, 3 phases, and 25 cycles, A. C. system.

The motor to have drip-proof casing, woorking in ball bearings and provided with ample ventilation as it is to work at a temperature of about 100°F.

The motor and pump are to be mounted on a common base-plate and to be directly coupled by means of flexible coupling and bushes.

The above motor driven unit to be supplied wth suitable starting switchboard, and panel fitted with volt-meter and ammeter and also the spares noted below.

Spares. Pump.—One set of neck rings.
One set of two bearings.
One impeller.

Motor.—One set of bearings.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specification will entail cancellation of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed " Quotations for the Electric Pumping Set for Melkote Town Water Supply " with the above enquiry Number.

This enquiry will be closed on the 1st of July 1938.

No. S. P. C. 27332-41, *dated* 11—14*th June* 1938.

To

The Firms dealing in Levelling Instruments.

Enquiry No. 2881.

LEVELLING INSTRUMENTS TO IRRIGATION CIRCLE, KRISHNARAJ SAGAR WORKS.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the attached schedule, in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellation of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Levelling Instruments" with the above enquiry Number.

This enquiry will be closed on the 27th June 1938.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
			Mandya	
1	Engineer's Level, Government of India Pattern S. 102 *Telescope* of Internal focussing optical system with stadia 1/100 interchangeable cell O. C. rayshade engraved with cross sighting slip and scale giving angles up to 20° elevation and depression at right angles to the line of sight. *Tribrach & body.*—Three foot screws with dust covers, trivet stage. *Spirit Levels.*—Hermitically sealed, circular bubble for rough levelling. Magnetic Compass 2·25 inches ring graduated to 1/2°. *Box.*—Well seasoned mahogany, with lock and key. *Outer case.*—Felt lined canvas with military web pack-straps for carrying rucksack fashion. *Tripod.*—With closed mahogany leg levels 9·4" in equivalent focal length power 25 with necessary spares.	Two		
2	Stanley's Engineer Dumpy level 12" No. P. 352, with quick setting arrangements complete, with polished mahogany case tripod stand, and all accessories.	Four		

No. S. P. C. 27349-55, *dated* 11*th June* 1938.

To

The Firms dealing in Incubators.

Enquiry No. 2882.

INCUBATOR.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellation of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotation should be superscribed "Quotation for Incubator" with the above enquiry Number.

This enquiry will be closed on the 25th June 1938.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
	Wide range Incubator arranged for heating by Electricity size 1'6"+14"+14" fitted with patent control enabling any temperature being easily and instantaneously adjusted. The range should be from 25°C. to 60°C. The heating circuit should be suitable for work on 220 volts, single phase, 25 cycles current	One.	Channapatna	

No. S. P. C. 27342-8, *dated* 11*th June* 1938.

To

The Firms dealing in Refrigerators.

Enquiry No. 2883.

REFRIGERATORS.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best price and the earliest time of delivery for the material described below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specification will entail cancellation of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotation should be superscribed "Quotation for Refrigerator" with the above enquiry Number.

This enquiry will be closed on the 25th June 1938.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
	Refrigerator fitted with conditioned air cooling unit, giving positive circulation of cold air and capable of maintaining a uniform temperature and providing storage space of 69·5 cubic feet gross, 64·84 cubic feet nett and having a shelf area of 77·96 square feet for operation on 220 volts, single phase, A.C. 25 cycle power supply	One.	Channapatna	

N.B.—Descriptive literature should accompany the quotations.

No. S. P. C. 27530-70, *dated* 11—13*th June* 1938.

To

The Firms dealing in Electrical Materials.

Enquiry No. 2885.

VARNISHED CAMBRIC LEADS REQUIRED FOR THE MANUFACTURE OF ELECTRIC TRANSFORMERS.

GENTLEMEN,

Please quote your best prices and the earliest terms of delivery for the materials described below:—

1. Single Conductor Cable for outdoor use insulated for 600 volts pressure with black varnished cambric tape and covered with two impregnated weather-proof cotton braids 0·02" thick.

	Size.
(*a*) 7/12	3,000 ft.
(*b*) 7/14	3,000 ,,
(*c*) 7/16	3,000 ,,
(*d*) 19/16	2,000 ,,

2. Single Conductor Cable for out-door use insulated for 6,000 volts pressure with black varnished cambric tape and covered with two impregnated weather-proof cotton braids 0·02″ thick.

(*a*)	7/19	5,000 ft.
(*b*)	7/22	5,000 ,,

Full details of materials offered and samples of the same should be furnished, without which quotations will not be considered.

The prices for materials of German manufacture should be in Reichmarks for payment being made from out of the Mysore Government moneys at the Reich-kredit, Gesselschaft, Berlin, which represent the value of sandal oil, etc., sold in Germany.

The prices to be quoted should be for delivery, c.i.f., Madras.

The enquiry will close on the 15th of July 1938.

Yours faithfully,
T. RANGASWAMI,
Secretary,
Stores Purchase Committee.

No. S. P. C. 27628-47, *dated* 13*th June* 1938.

NOTICE.

Enquiry No. 2877.

SUPPLY OF SULPHATE OF ALUMINA.

Sealed tenders will be received by the Secretary, Stores Purchase Committee, for the supply of Sulphate of Alumina required for the Water Works in Mysore during the year 1938-39 up to 5 P.M. on 15th August 1938.

Intending tenderers may, on application to the Secretary, Stores Purchase Committee, obtain the requisite tender forms on which tenders should be submitted. Applications should be accompanied by a cash remittance of Rs. 5 which is the price fixed for a set of forms and which is not refundable.

Cheques and postage stamps will not be accepted towards the cost of forms.

By Order,
T. RANGASWAMI,
Secretary,
Stores Purchase Committee.

Statement of orders placed by the Stores Purchase Committee, Government of Mysore, Bangalore, both in India and Foreign Countries during the week ending Saturday the 16th April 1938.

Indent & Enquiry No.	Description of material	Quantity	Name of firm	Value of order
Local.			Messrs. —	Rs. a. p.
4338	Moth crushing sets, each set consisting of 20 mortars 20 pestles	8	Lalita Metal Works, Bangalore City.	17 0 0 per set f.o.r., Mysore.
2756	and 20 pins all in a zinc tray with handles.			
4339	Horse Mower, McCormic Deering 3½ ft. vertical lift with OX hitch	1	Volkart Brothers, Madras ..	350 0 0 Chikbanavar.
2679	and heavy frame.			
4340	Beltings "Teon" 4 ply and cover "copper sewn" 3 ply and under "Hemp sewn".	(approximate quantity)	Fleming Birkley & Goodall, Ltd., Bombay.	
2753	Do 1½″ × 3 ply ..	100 ft.	Do ..	0 4 9 per ft. packed and delivered f.o.r., Mysore South, under R.M.C. rates.
	Do 1½″ × 4 ply ..	200 ft.	Do ..	0 6 3 Do
	Do 2″ × 4 ply ..	500 ft.	Do ..	0 10 6 Do
	Do 3″ × 4 ply ..	1,500 ft.	Do ..	0 12 6 do
4341	Power pump Myer's Self Oiling,	One.	Mr. M. Ramiah, Bangalore City	
2799	capable of pumping 350 Imperial gallons against a head of 150 ft. 1½″ suction and delivery fitted with slide rails to take Electric meter.			470 0 0 price for the pumping set f.o.r., Closepet.
	Motor, 2 H.P. Crompton A.C. 220 volts, 25 cycles, 3 phase, 1420 r.p.m.	One.	Do	
4343	Cast Iron Meter Boxes ..	600	Sri Krishna Engineering Works, Bangalore City.	2 14 6 each, f.o.r., Mysore
2705	Cast Iron meter boxes provided with arrangement for fixing pad-locks	200	Do ..	2 14 6 do